

IAEA-TECDOC-730

***Fast reactor steam generators
with sodium on the tube side***
Design and operational parameters



INTERNATIONAL ATOMIC ENERGY AGENCY

IAEA

January 1994

The IAEA does not normally maintain stocks of reports in this series.
However, microfiche copies of these reports can be obtained from

INIS Clearinghouse
International Atomic Energy Agency
Wagramerstrasse 5
P.O. Box 100
A-1400 Vienna, Austria

Orders should be accompanied by prepayment of Austrian Schillings 100,—
in the form of a cheque or in the form of IAEA microfiche service coupons
which may be ordered separately from the INIS Clearinghouse.

IAEA-TECDOC-730

***Fast reactor steam generators
with sodium on the tube side***
Design and operational parameters



INTERNATIONAL ATOMIC ENERGY AGENCY

IAEA

The originating Section of this document in the IAEA was:

Nuclear Power Technology Development Section
International Atomic Energy Agency
Wagramerstrasse 5
P.O. Box 100
A-1400 Vienna, Austria

FAST REACTOR STEAM GENERATORS WITH SODIUM ON THE TUBE SIDE
DESIGN AND OPERATIONAL PARAMETERS

IAEA, VIENNA, 1994

IAEA-TECDOC-730

ISSN 1011-4289

Printed by the IAEA in Austria
January 1994