

SUBJECT INDEX

A	Absorber, material	50
	number of pins per control rod	48
	pin dimensions	49
	Addresses, postal	12
	Administrative and responsible authority	13
	Aerosol detection of primary vessel leak	141
	Automatic shut-down criteria	127
	Axial blanket, lower	22
	lower, thickness	25
	upper	25
	upper, thickness	25
	Axial shield materials	122
B	Blanket, axial	25
	geometry	25
	linear power	43
	pin, cladding material	42
	dimensions	41
	fission gas volume	44
	radial, number of pins per subassembly	38
	Boron, boron carbide	50
	Breeding gain	35
	Burnup, maximum achieved	32
	target	32
C	Carbon impurity in primary circuit	104
	in secondary circuit	105
	Cells, cover gas systems	108
	Channel, see wrapper	
	Cladding, blanket pin dimensions	41
	fuel pin dimensions	39
	materials	42
	surface temperature, operating	44
	surface temperature during refuelling	138
	Coarse control rods	47
	drive mechanism	54
	drop time	53
	reactivity worth	51
	vertical travel	52
	Cold traps	103
	Construction, start of (date)	18
	Containment design pressure	124
	geometry	123
	material	123

seismic design	125
venting	123
volume	124
Contractor, chief, or manufacturer	16
Control, materials	50
reactor power	130
rods, drop time	53
number of absorber pins	48
percentage changed at reloading	34
reactivity worth	51
certain travel	52
systems	47
Coolant, core volume fraction	29
flow rates	57
loops, number	56
primary	56
purification	103
secondary	56
temperature, intermediate heat exchanger	59
primary	59
secondary	60
velocity in the core	58
Cooling discharger fuel	135
Core, components, sodium removal	140
coolant velocity	58
dimensions	24
enrichments	27
fuel, content	28
pin, cladding	39
dimensions	39
fission gas volume	44
geometry	22
heterogeneous	22
inner	23
intermediate	27
number, fuel pins per subassembly	38
subassemblies	23
outer	23
pin cladding	42
pressure drop	58
restraint system	22
volume fractions	29
Cover gas system, analysis	113
clean up	114
fuel transfer cells	108
handling flasks	108
loop cells	108
monitoring	45

	primary circuit	106
	sampling	111
	secondary circuit	107
	Criticality, first (date)	18
<u>D</u>	Dates of major events	18
	Decay heat removal	115
	Delayed neutron detection of failed pins	45
	Density, fuel pellet, intrinsic and smeared	40
	power, of core	30
Designer		15
	Detection, failed pins	45
	sodium leaks	133
	Diameter, absorber pins	49
	blanket pins	41
	evaporator tubes	93
	fuel pins	39
	inner core (equivalent)	23
	intermediate heat exchanger shell	85
	intermediate heat exchanger tubes	85
	outer core (equivalent)	23
	primary piping	65
	reactor vessel	73
	reheater tubes	95
	secondary circuit piping	66
	steam/water circuit piping	67
	Diverse shutdown systems	47
	Doppler coefficient	37
	Drive mechanism, control rods	55
	safety rods	54
	Driver fuel	21
	Drop time, safety and control rods	26
	Duct - see Wrapper	
<u>E</u>	Eddy current measurements	145
	Electrical, generation, first	18
	output, gross	19
	Enrichment, boron and boron carbide	50
	fuel, inner core	27
	intermediate core	27
	number of zones	26
	outer core	27
	Europium oxide as control material	50
	Evaporators, effective heat transfer area	93
	number of modules	88
	number of tubes per module	93
	sodium temperatures	89
	thermal capacity	96

	tube dimensions	93
	tube material	93
	water/steam temperatures	90
F	Failed pin, detection	45
	location	46
	Fine control rods,	47
	drive mechanism	54
	drop time	53
	reactivity worth	51
	vertical travel	52
	Fissile zone, diameter (equivalent) and height	24
	Fission gas, pressure in pin at max burn-up	45
	space, core volume fraction	29
	volume, core and blanket pins	44
	Flasks, handling, cover gas system	108
	Flux, neutron	33
	Fuel, content of core	28
	core volume fraction	29
	density, intrinsic and smeared	40
	enrichment, inner core	27
	intermediate core	27
	number of zones	26
	outer core	27
	linear power	43
	pellets, intrinsic and smeared density	40
	pin, dimensions	39
	pressure of fission gas at max burn-up	45
	number per subassembly	38
	residence time in core	31
	spent, storage	135
	transfer cells, cover gas system	108
	use as control system	50
	Full power, nominal	19
	operation (date)	18
G	Gain, breeding	35
	Gas, cover, monitoring system	46
	pressures	110
	primary circuit	106
	sampling methods	111
	secondary circuit	107
	tagging to locate failed pins	46
	Generator, turbine	10
	Gridded pins	43
H	Handling flasks, cover gas system	108
	Heat transfer capacity of intermediate heat exchanger	84

	Heterogeneous cores	22
	Hydrogen impurity, in primary circuit	104
	in secondary circuit	105
I	Identification of subassemblies	139
	Impeller, pump, material	80
	Impurity concentrations in cold-traps	104
	Inner core,	23
	enrichment	27
	fuel, percentage changed at refuelling	34
	residence time	31
	In-service inspection, intermediate heat exchanger	142
	primary circuit pipes	142
	primary vessel	141
	secondary circuit pipes	143
	steam generators	145
	Intermediate core enrichment	27
	Intermediate heat exchanger, configuration	81
	heat transfer capacity	84
	number of modules	82
	number of tubes per module	84
	shell dimensions	85
	shell material	86
	tube dimensions	85
	tube material	86
	Isolation of steam generators	71
	Isothermal temperature coefficient	36
J	Jackets, leak	70
L	Lattice pitch of core components	26
	Leak detection, in sodium circuits	133
	in steam generators	97
	Leak jackets, primary and secondary piping	70
	Length, blanket pin	41
	fuel pin	39
	Licensing authority	17
	Linear power, fuel and blanket	43
	Location of failed pins	46
	Location (site) of reactor	12
	Loops, coolant, number	56
	Loop-type reactors	21
M	Manufacturer or chief contractor	16
N	Neutron flux	33
	Neutrons, delayed, detection of failed pins	45

0	Operator	13
	Outer core,	23
	enrichment	27
	fuel, percentage changed at refuelling	34
	fuel, residence time	31
	Owner	13
	Oxygen impurity in primary circuit	104
	in secondary circuit	105
P	Pellet, blanket, intrinsic density	41
	fuel, intrinsic density	40
	Periscopes	141
	Pin, absorber, dimensions	49
	blanket, dimensions	41
	blanket, fission gas volume	44
	fuel, dimensions	41
	fission gas pressure at max burn-up	45
	fission gas volume	44
	failed, detection	45
	location	46
	Piping, leak jackets	70
	primary circuit dimensions	65
	primary circuit material	62
	secondary circuit dimensions	66
	secondary circuit material	63
	steam/water circuit dimensions	67
	steam/water circuit material	63
	Pitch, lattice, of core components	26
	Plugging temperatures	104
	Plutonium content of core	28
	Pool-type reactors	21
	Postal address	12
	Power, coefficient of reactivity	36
	control	130
	density of core	30
	operation (date)	18
	turbine generator	102
	Preheating system, primary circuit	117
	secondary circuit	118
	Pressure, cover gas	110
	drop across core	58
	fission gas in pin at max burn-up	45
	steam	20
	Primary circuit, cold traps	103
	configuration	21
	cover gas	109
	piping dimensions	65
	piping, in-service inspection	141

piping, leak jackets	70
piping material	62
piping preheating system	117
plugging temperature	104
valving	71
Primary coolant,	19
flow rates	57
inventory	56
loops, number	56
temperature	59
Primary pump, capacity	74
failure, plant response to	132
head pressure	75
location	74
material, diffuser	80
hard-facing	79
impeller	80
shaft	78
operational speed range	78
rating	77
speed	76
speed control	78
speed range	78
type	73
Primary tank - see reactor vessel	
Pump - see primary pump, secondary pump	
R Radial blankets,	23
dimensions	25
number of pins per subassembly	38
percentage charged at reloading	34
pin dimensions	41
residence time	31
Radial shield materials	115
Reaction products in steam generators	100
Reactivity coefficients	36
Reactivity, power coefficient	36
worth of control rods	51
Reactors covered by the data base	11
Reactor, power control	130
run, main length	30
vessel, dimensions	71
in-service inspection	141
leak detection	141
material	72
Reflector	23
Refuelling, cooling of discharged fuel	135
fuel handling	134

identification of subassemblies	139
maximum allowable clad temperature	138
percentage of blanket subassemblies changed	34
percentage of fuel subassemblies changed	34
sodium removal	140
storage of spent fuel	135
Reheaters, effective heat transfer area	95
number of modules	88
number of tubes per module	95
steam pressure	91
thermal capacity	96
tube dimensions	95
tube material	92
water/steam temperatures	91
Restraint system	22
S Safety, features	126
rods,	47
drive mechanism	54
drop time	53
reactivity worth	51
vertical travel	52
Sampling, cover gas systems	111
Secondary circuit, cold traps	103
cover gas	106
piping dimensions	66
piping in-service inspection	142
piping, leak jackets	70
piping material	63
piping preheating system	118
plugging temperature	102
valving	71
Secondary coolant,	19
activity	120
flow rates	57
inventory	56
loops, number	56
temperatures	60
Secondary pump, capacity	74
heat pressure	75
location	74
material, diffuser	80
hard-facing	79
impeller	80
shaft	79
rating	77
speed	76

type	73
Seismic design of containment	123
Shielding, materials, - axial shields	121
radial shields	120
objectives, above core structure	117
core support structure	117
reactor vessel	117
secondary coolant circuit	117
Shutdown, criteria initiating automatic	127
diverse systems	47
final (date)	18
main length	30
rapid	47
systems	129
Smoke detectors	143
Sodium - see Primary coolant, secondary coolant	
Sodium, removal from subassemblies	140
sampled of locate failed fuel	46
sipping to locate failed fuel	46
void coefficient	36
Spent, fuel storage	135
Steam, conditions	20
cycle type	87
generators, configuration	87
discharge of reaction product isolation	100
leak detection	97
number of evaporators, superheaters and repeaters (see also these items individually)	88
Steam/water circuit, piping dimensions	67
piping materials	64
temperatures	61
Super heaters, effective heat transfer area	94
number of moduels	88
number of tubes per module	94
sodium temperatures	89
steam pressure	91
thermal capacity	96
tube dimensions	94
tube material	92
water/steam temperatures	89
Subassemblies, fuel, across plants	26
dimensions	26
enrichments	26
identification	139
length	26
number of pins	38
separation of pins	43
sodium removal	140

I	Tagging gas to locate failed fuel	46
	Tank, primary - see Reactor vessel	
	Target burn-up	32
	Temperature, cladding surface, in operation	44
	in refuelling	138
	intermediate heat exchanger	82
	primary coolant	20
	secondary coolant	20
	steam/water	20
	Thermal power	19
	Time, drop, of control and safety rods	53
	Transfer celles, cover gas system	108
	Tubes - see Evaporators, Repeaters, Superheaters	
	Turbine generator	101
U	Ultrasanic detectors	141
	Under-sodium viewing	141
	Uranium content of core	28
V	Valving	71
	Velocity of coolant in core	58
	Venting of containment	123
	Vertical travel, control and safety rods	52
	Vessel, reactor - see Reactor vessel	
	Void (fission gas space) core volume fraction	29
	Volume, fractions of core	29
	of containment	123
W	Water/steam circuit, piping dimensions	67
	piping material	64
	temperatures	90
	Wire wrapped subassemblies	43
	Wrappers, dimensions	26
	materials	42